



FIRE LUBRICANTS

Fire (Compressor Oil)

Fire Compressor Oils has been specifically formulated from highly refined base oils and "leading edge" technology additives for the lubrication of rotary and reciprocating air compressors.

Product Features & Benefits:

- Outstanding cylinder and piston ring lubrication.
- Excellent lubrication of timing gears and bearings in rotary compressors.
- High compressor efficiency by reducing build-up of carbon on discharge valves.
- Enhanced oil life in circulating systems and crankcases.
- Optimum rust, corrosion and wear protection - all grades are inhibited to help reduce rust, corrosion and wear in compressor systems.

Performance Level:

Compressor Oil :IS DAA and DAB for air compressor oil, DIN – 51506 VD-L-group requirement 098 – 1983 (Reaffirmed 1993).

Specification:

CHARACTERISTICS

Sr.No.	Properties	FIRE COMPRESSOR OIL					
		32	68	100	150	220	330
1	Kin.Viscosity cSt @ 40°C	29 - 33	64 – 72	95 – 105	145 – 155	210 – 230	305 - 335
2	V.I.(min)	95	95	95	95	90	90
3	Flash Point (COC) ⁰ C ,min	196	204	210	220	230	250
4	Pour Point (COC) ⁰ C ,max	-9	-9	-9	-3	-3	-3

Note : The above specification are subject to change without any prior notice & it implies no liabilities or other legal responsibility on our part or third party.